


proguys

MINI-SPLIT CONDENSATE PUMPS



*Efficient, Reliable,
and Built to Last.*

Pre-Order Now
and Get Up to

17% off



Low Noise



Durability



Large Flow



Easy
Assembly



Convenient
Cleaning

Z SERIES MINI-SPLIT CONDENSATE PUMP



Item No.	Specifications	U/M	Ctn. Qty.
18101	Z20 Mini-Split Pump, Industrial Sensor, Dual Vol, 5.3 GPH	CS	20

Item No.	Specifications	U/M	Ctn. Qty.
18102	Z40 Mini-Split Pump, Industrial Sensor, Dual Vol, 10.6 GPH	CS	20

Item No.	Specifications	U/M	Ctn. Qty.
18103	Z40H Mini-Split Pump, Industrial Sensor, Dual Vol, 10.6 GPH	CS	40

- Power supply: 100-240V AC 50/60Hz <4W
- Max.suction lift: 2m (6.56 ft)
- Max.water temperature: 40°C (104°F)
- Discharge tube: 6mm (1/4 in) ID
- Class: II appliance
- Protection: Fully potted, IP-45





18101



18102



18103



FEATURES

- Operates with low noise for a quiet environment.
- Features safe and reliable water detection using a capacitive sensor.
- Offers large flow capacity for efficient condensate drainage.
- Automatic flow adjustment reduces noise and extends pump lifespan.
- Designed for easy cleaning and maintenance.
- Function Key (Fn) lets you quickly restore factory settings or adjust water level parameters, streamlining maintenance and setup.

X SERIES MINI-SPLIT CONDENSATE PUMP





Item No.	Specifications	U/M	Ctn. Qty.
18121	X15 Mini-Split Pump, Dual Vol, 3.9 GPH	CS	20

Item No.	Specifications	U/M	Ctn. Qty.
18122	X40 Mini-Split Pump, Dual Vol, 10.6 GPH	CS	20

Item No.	Specifications	U/M	Ctn. Qty.
18123	X40H Mini-Split Pump, Dual Vol, 10.6 GPH	CS	20

- Power supply: 100-240V AC 50/60Hz <4W
- Sound level: <19dB(A) @ 1m (3.28 ft)
- Max.recommended head: 20m (65.62 ft)
- Safety switch: 3A Normally closed
- Max.water temperature: 70°C (158°F)
- Discharge tube: 6mm (1/4 in) ID
- Class: II appliance
- Rated: Continuous
- IP Protection: IPX5
- Fully potted: ✓



FEATURES

- Safety and reliability.
- Operates with a float switch to detect water presence.
- Provides powerful drainage of condensate water.
- Ensures silent operation for a peaceful environment.
- Typically installed below mini splits for efficient operation.

MINI-SPLIT CONDENSATE PUMP RELATED PRODUCTS



CONDENSATE REMOVAL PUMP **HOT**

NO. 18221-18231



SECONDARY OVERFLOW SWITCHES **NEW**

NO. 50001-50003




PLASTIC CONDENSATE DRAIN PANS **HOT**

NO. 18001-18017



3/4" SCH-40 PVC PIPE **NEW**

NO. 12445



PVC TRAPS

NO. 12415-12419

PRE-ORDER CONDENSATE PUMPS PROGRAM

Effective: 02/14/2025 to 03/14/2025

• Eligibility Criteria

Exclusive to orders of CONDENSATE PUMPS within the specified period.
Cannot be combined with any other offers, plans, or promotions.

• Discount Details

Participants are entitled to the following discounts on purchases of Eligible Products within the validity period:

QTY of Containers	Discount
1 to 5	5%
6 to 10	8%
11 to 20	12%
21 or More	15%

* FFA \$1500, 2% discount for payments within 10 days, net 30 days.

• Ordering Details

Mention "**PRE-ORDER CONDENSATE PUMPS**" in your order note for eligibility.

Adherence to standard quantity intervals required; mixed pallets may be allowed upon Dakota Sourcing's confirmation.

Shipping begins **in Early April 2025**, subject to a first-come, first-served basis, non-working days, and unforeseen events. Shipping will be staggered, and exact delivery dates cannot be guaranteed.

Orders require prior credit approval, delivery to single location, and are priced at the time of shipment.

• Cancellation and Returns

Orders cannot be canceled more than 48 hours after placement.

Returns due to quality issues or shipment errors are exempt; other returns incur a 20% restocking fee plus return shipping costs (prepaid by the customer).

• General Terms

Participation in "**PRE-ORDER CONDENSATE PUMPS PROGRAM**" is governed by the Company's Standard Terms and Conditions in addition to the specific terms outlined herein, which cover standard operating procedures, refund policies, handling of out-of-stock items, among other practices.

In case of any discrepancy between the Program terms and the Standard Terms and Conditions, the latter shall prevail.

Terms subject to interpretation and amendment by DAKOTA SOURCING.

For details about the "PRE-ORDER CONDENSATE PUMPS PROGRAM", contact our SD Distribution Center at (605) 763-4900 or the LA Distribution Center at (626) 836-1212.

For more information on our Standard Terms and Conditions, visit www.dakotasourcing.com.