

STAINLESS STEEL GAS CONNECTORS

Submittal Information

Part No. 12429-32017
 Document No. SPEC12429
 Date 2025-02-25
 Revision 03

General Properties


Material: 304 Stainless Steel (Annealed)
 Finish: Natural
 Rated Pressure: 0.5 PSI
 Rated Operating Temperature: -40°F to 150°F
 Certificate: CSA Listed

Features

- Connector for indoor and outdoor gas piping.
- High flexibility, withstands corrosion, durable, reliable, safe, and withstands high and low temperatures.
- Metal to metal seal ensures safe, leak free performance. Includes an epoxy coating for added durability and extra protection from corrosion.
- Easy to install and won't leak gas if installed incorrectly.
- For gas mediums such as gas, petroleum liquefied gas, natural gas, oil, water.

Applications

- Boilers
 - Gas Meters
 - Furnaces
 - Commercial Water Heaters
 - Gas packs/Rooftop HVAC units
 - Tankless Water Heater
 - Stationary Standby Generators
- NOT for use with Portable Generators



Product	L	A	FITTING	Flow Capacity (NG)	Std. Qty	U/M
12429	18"	1/2"	1/2 F x 1/2 M	93,100 BTU/H	25	EA
12430	24"	1/2"	1/2 F x 1/2 M	85,000 BTU/H	25	EA
12431	36"	1/2"	1/2 F x 1/2 M	71,100 BTU/H	25	EA
12432	48"	1/2"	1/2 F x 1/2 M	60,500 BTU/H	25	EA
12433	12"	5/8"	1/2 F x 1/2 M	180,000 BTU/H	25	EA
12434	18"	5/8"	1/2 F x 1/2 M	164,200 BTU/H	25	EA
12435	24"	5/8"	1/2 F x 1/2 M	150,000 BTU/H	25	EA
12436	36"	5/8"	1/2 F x 1/2 M	125,000 BTU/H	25	EA
12437	48"	5/8"	1/2 F x 1/2 M	106,000 BTU/H	25	EA
12438	12"	5/8"	1/2 M x 1/2 M	180,000 BTU/H	25	EA
12439	18"	5/8"	1/2 M x 1/2 M	164,200 BTU/H	25	EA
12440	24"	5/8"	1/2 M x 1/2 M	150,000 BTU/H	25	EA
12441	36"	5/8"	1/2 M x 1/2 M	125,000 BTU/H	25	EA
12442	48"	5/8"	1/2 M x 1/2 M	106,000 BTU/H	25	EA
32011	12"	5/8"	3/4 F x 3/4 M	180,000 BTU/H	25	EA
32012	18"	5/8"	3/4 F x 3/4 M	164,200 BTU/H	25	EA
32013	24"	5/8"	3/4 F x 3/4 M	150,000 BTU/H	25	EA
32014	36"	5/8"	3/4 F x 3/4 M	125,000 BTU/H	25	EA
32015	48"	5/8"	3/4 F x 3/4 M	106,000 BTU/H	25	EA
32016	60"	5/8"	3/4 F x 3/4 M	93,200 BTU/H	12	EA
32017	72"	5/8"	3/4 F x 3/4 M	86,000 BTU/H	12	EA